



RE: Stormwater Technical Team Call Highlights (Aug. 13th call)

Scheffler, Linda to: 'Laura Jones', Carl Stivers, Kristine Koch,
Scheffler, Linda

08/20/2007 04:29 PM

Andy Koulermos, Amanda Shellenberger, Amanda Spencer
Cc: , Christine Hawley, "Sanders, Dawn", Gene Revelas,
Jim McKenna, Jessica Pisano, "Scheffler, Linda",

In our tech call we discussed including the GE and Port monitoring locations in the data summary tables. I just received a copy of the GE April 2007 Stormwater Monitoring Report prepared by AMEC. The AMEC representative informed me that two storms have been sampled at the site to date. This report represents the first event, during which samples were collected only from the north yard sampling location, as flow volume wasn't sufficient to sample from the south yard. For the second event, equipment at the north yard location failed, and samples were collected only from the south yard sampling location. Data for the second event is just starting to come in.

GE intends to collect 3 more storm events at both locations this fall.

-----Original Message-----

From: Laura Jones [mailto:ljones@integral-corp.com]
Sent: Friday, August 17, 2007 10:23 AM
To: Carl Stivers; Koch.Kristine@epamail.epa.gov;
Scheffler, Linda
Cc: Andy Koulermos; Amanda Shellenberger; Amanda Spencer; Christine Hawley; Sanders, Dawn; Gene Revelas; Jim McKenna; Jessica Pisano; Scheffler, Linda; LaFranchise, Nicole; Rick Applegate; Bob Wyatt; TARNOW Karen E
Subject: RE: Stormwater Technical Team Call Highlights (Aug. 13th call)

Hi - In response to Carl's question, I have requested a query of the database for all stormwater events to answer the question about the frequency of detects of phthalates in laboratory and field blanks. I expect to receive the query late today and will send an e-mail to this group on Monday or Tuesday.

Laura

Laura L. Jones
Managing Scientist
Integral Consulting, Inc.

319 SW Washington St, Suite 1150
Portland, Oregon 97204
Cell: 503.539.1723
Phone: 503.284.5545
Fax: 503.284.5755
ljones@integral-corp.com
www.integral-corp.com

IMPORTANT NOTICE: This email communication is confidential and may contain legally privileged information intended only for the addressee. Do not read, copy or disseminate this e-mail message unless you are the intended recipient. If you have received this message in error, please delete all copies and notify the sender immediately at ljones@integral-corp.com. Thank you .

-----Original Message-----

From: Carl Stivers [mailto:cstivers@anchorenv.com]
Sent: Thursday, August 16, 2007 1:56 PM
To: Koch.Kristine@epamail.epa.gov; Scheffler, Linda
Cc: Andy Koulermos; Amanda Shellenberger; Amanda Spencer; Christine Hawley; Sanders, Dawn; Gene Revelas; Jim McKenna; Jessica Pisano; Scheffler, Linda; Laura Jones; LaFranchise, Nicole; Rick Applegate; Bob Wyatt; TARNOW Karen E
Subject: RE: Stormwater Technical Team Call
Highlights (Aug. 13th call)

Stormwater Technical Team -

I was hoping others could weigh in on this issue raised by the City and see where we stand. If we cannot resolve this additional change via email, it will have to wait until our next call on August 23rd, because that was our collective next available time to all meet to discuss anything.

I'd like to avoid waiting that long if possible, so any feed back you can give via email would be most appreciated. So far we have heard from Kristine.

My take on this issue is that we conducted phthalate stormwater sampling at 11 stations (more than the 2 stations for pesticides). I looked at the detect rates for phthalates in the Batch 1 stormwater data, and phthalate detection rates were generally above 50% at these stations with a few exceptions. Assuming that these are truly detections and not blank contamination, it seems like we would be filling more

data gaps for
pesticides than we would be creating for phthalates
by making the changes
that we agreed to at the conclusion of the last call.

Laura - Do you know whether we got a lot of
stormwater field or lab blank
contamination for phthalates? That would be a good
way of checking whether
the high level of phthalate stormwater detects are
suspect.

Thanks.

Carl

Carl Stivers
Anchor Environmental, L.L.C.
23 South Wenatchee Avenue, Suite 120
Wenatchee, WA 98801
Phone: 509-888-2070
Fax: 509-888-2211
cstivers@anchorenv.com
This electronic message transmission contains
information that is intended
for the use of the individual or entity named above.
If you are not the
intended recipient, please be aware that any
disclosure, copying
distribution or use of the contents of this
information is prohibited. If
you have received this electronic transmission in
error, please notify us by
telephone at (206) 287-9130, or by electronic mail,
cstivers@anchorenv.com.

-----Original Message-----

From: Koch.Kristine@epamail.epa.gov [
mailto:Koch.Kristine@epamail.epa.gov]
Sent: Tuesday, August 14, 2007 2:52 PM
To: Scheffler, Linda
Cc: Andy Koulermos; Amanda Shellenberger; Amanda
Spencer; Christine Hawley;
Carl Stivers; Sanders, Dawn; Gene Revelas; Jim
McKenna; Jessica Pisano;
Scheffler, Linda; Laura Jones; LaFranchise, Nicole;
Rick Applegate; Bob
Wyatt; TARNOW Karen E
Subject: RE: Stormwater Technical Team Call
Highlights (Aug. 13th call)

All - here are my thoughts.

I think that it is more important to get the

pesticide data rather than the
phthalate data. Where any data for any parameter is
insufficient, then it
should be considered for additional data needs in the
8/23 meeting.

Kristine Koch
Remedial Project Manager
USEPA, Office of Environmental Cleanup
1200 Sixth Avenue, M/S ECL-115
Seattle, WA 98101
(206)553-6705
(206)553-0124 (fax)
1-800-424-4372 extension 6705 (M-F, 8-4 Pacific Time,
only)

"Scheffler,
Linda"
<LindaSC@BES.CI.
To PORTLAND.OR.US> 'Carl Stivers'
<cstivers@anchorenv.com>, Amanda
08/14/2007 12:46 Shellenberger
PM
<ashellenberger@anchorenv.com>, Amanda Spencer
<aspencer@ashcreekassociates.com>
Dawn", "Sanders,
<DAWNS@BES.CI.PORTLAND.OR.US>, Jim McKenna
<Jim.McKenna@portofportland.com>, "Scheffler,
Linda"
<LindaSC@BES.CI.PORTLAND.OR.US>, TARNOW Karen E
<TARNOW.Karen@deq.state.or.us>, Andy Koulermos
<akoulermos@newfields.com>, Laura
<ljoness@integral-corp.com>, Jones
Koch/R10/USEPA/US@EPA, Kristine
Nicole", "LaFranchise,
<Nicole.LaFranchise@portofportlan
d.com>

cc

Jim McKenna

<Jim.McKenna@portofportland.com>, Jessica Pisano
<jpisano@anchorenv.com>, Christine
Hawley
<chawley@integral-corp.com>, Gene Revelas
<grevelas@integral-corp.com>, Bob Wyatt
<rjw@nwnatural.com>, "Applegate,
Rick"
<RICKA@BES.CI.PORTLAND.OR.US>
Subject RE: Stormwater
Technical Team Call Highlights
(Aug. 13th call)

Team,
After we left our call, Dawn and I realized an additional consideration that should have been discussed as part of the reprioritization between organochlorine pesticides and PAHs/phthalates. Pesticides and phthalates were the two analytical groups that were not slated for analysis in all stormwater composites because 1) pesticides were not likely to be detected in stormwater at concentrations that may be significant and 2) there was a high likelihood that phthalate results could be qualified by field or lab contamination of samples. We discussed relying more heavily on the sediment trap samples to evaluate these parameters.

With the proposed shifts, we may be sacrificing phthalate data for pesticides. Are we comfortable with the remaining data set for phthalates?

From: Carl Stivers [mailto:cstivers@anchorenv.com]
Sent: Tuesday, August 14, 2007 11:37 AM

To: Carl Stivers; Amanda Shellenberger; Amanda Spencer; Dawn Sanders; Jim McKenna; Scheffler, Linda; TARNOW Karen E; Andy Koulermos; Laura Jones; Koch.Kristine@epamail.epa.gov; LaFranchise, Nicole
Cc: Jim McKenna; Jessica Pisano; Christine Hawley; Gene Revelas; Bob Wyatt; Rick Applegate
Subject: Stormwater Technical Team Call Highlights (Aug. 13th call)

Stormwater Technical Team -

The Stormwater Technical Team (EPA/DEQ/LWG) discussed LWG's proposed approach for handling stormwater sediment trap samples yesterday. Here the meeting highlights and action items. As always, please let me know if I missed something. It was agreed that the next call would be on August 23 at 1 pm. The technical team agreed to the LWG proposed approach for sediment trap analyses including the following specific points:

- Reduce the mass of sample used for TOC analysis (from 1 gram to 0.1 grams), to provide more mass for chemical analyses
- Use catch basin sediments collected from select locations for field and laboratory QA/QC analyses

In addition, the technical team agreed to the following changes in the LWG proposed analysis prioritization approach:

- Use sample mass proposed for PAH/phthalates analyses for organochlorine analyses instead at stations WR-123 (Schnitzer Slip), WR-14 (Chevron Transportation), WR-161 (Portland Shipyard), WR-147/148 (Gunderson)
- Use sample mass proposed for PCB analyses for organochlorine analyses instead at station OF-49 (City - St. Johns Area)

(Note that the LWG needs to obtain formal Exec. committee approval for these changes. We will notify the stormwater tech. team if LWG Exec. cannot approve these changes for some reason.)

It was also agreed that the next call would discuss the sample completion information and whether it meets the original FSP objectives and to what

extent this indicates a need for additional fall sampling.

To prepare for this discussion, the LWG agreed to obtain sample completion information on the T-4 stormwater stations from the Port and on the GE site stormwater sampling from DEQ. In addition, the LWG intends to summarize the percent detects for the Batch 2 and 3 stormwater composite data and, if possible in time, have this available for the next call as well.

It was also agreed that at the next call the group would start to talk about methods for calculating stormwater loads based on the program data.

Thanks.

Carl

Carl Stivers
Anchor Environmental, L.L.C.
23 South Wenatchee Avenue, Suite 120
Wenatchee, WA 98801
Phone: 509-888-2070
Fax: 509-888-2211
cstivers@anchorenv.com

This electronic message transmission contains information that is intended for the use of the individual or entity named above. If you are not the intended recipient, please be aware that any disclosure, copying distribution or use of the contents of this information is prohibited. If you have received this electronic transmission in error, please notify us by telephone at (206) 287-9130, or by electronic mail,

cstivers@anchorenv.com.

From: Carl Stivers
Sent: Monday, August 13, 2007 8:50 AM
To: Amanda Shellenberger; 'Amanda Spencer'; 'Dawn Sanders'; Jim McKenna; 'Scheffler, Linda'; 'TARNOW Karen E'; 'Andy Koulermos'; 'Laura Jones'; 'Koch.Kristine@epamail.epa.gov'; 'LaFranchise, Nicole'
Subject: RE: Stormwater Sediment Trap Sample Handling and Analysis Methods

Stormwater Tech Team -

The text below was also supposed to be provided to you with the two excel tables that were sent around previously. Again, my apologies for not getting this to you sooner. I will go over the contents of the text at the start of the call at 9 am (in a few minutes).

The sediment trap samples are summarized on the spreadsheet titled "Stormwater Outfall Sed Trap Sample Mass Analytical Aliquots" prepared by the LWG. It includes wet weight, percent solids, dry weight, and a potential scheme for analysis for each sediment trap sample and the catch basin sediments. Since the sample mass was limited from the sediment trap stations, catch basin sediments at some locations were collected for potential use as laboratory quality control samples (e.g. matrix spike/matrix spike duplicate samples for organics and matrix spike/laboratory duplicate samples for metals and TOC, TSS) and field quality control samples (field duplicates). The approach detailed in the sediment trap spreadsheet includes the use of the catch basin sediments as field and lab QC samples as an option for discussion with the Stormwater Technical Team.

Two relevant issues that developed during analysis are summarized below:

The two laboratories [CAS and Vista (formerly Alta)] that will be conducting the analyses were contacted to confirm receipt of upcoming samples and discuss the approach. Both laboratories indicated that to meet our low detection limits the minimum sample weights required for analysis for organic parameter groups were dry weight aliquots. This is not consistent with previous discussions with these labs or the information in the FSP and QAPP. The attached spreadsheet assumes the minimum sample masses for PCB congeners, organochlorine pesticides, PAHs/phthalates, metals, and herbicides in dry weight.

When conducting the total solid analysis, CAS did not use the

minimum sample mass (1g) for most samples. CAS was notified about the limited sediment available from the sediment trap samples and was requested to use the minimum sample mass; however, the analyst who weighed the samples for the analysis consumed more than the minimum sample mass for most samples. The attached spreadsheet includes the actual weights used for total solids measurements.

Two separate schemes were developed in the Analytical Aliquot spreadsheet. The first scheme details sample aliquots for each individual sample as a stand-only sample (i.e., field replicate samples are considered to be a different sample than its parent sample) and the second scheme details sample aliquots where field replicate samples are combined with their parent samples as one stand-alone sample to help increase available sample mass for analysis. Combining the field replicates is currently our recommended approach in concert with obtaining field and lab QC from catch basin sediment samples as noted above.

Both schemes were developed by calculating the dry weight from the percent solids measurements, subtracting out the actual wet weight mass used for the percent solids, TOC, and metals (if applicable) measurements, and calculating other aliquots for analysis. The aliquots were assigned in this spreadsheet based solely on the priority of analytes from the FSP. There are numerous options for each sample for distribution of sample mass for analysis. This spreadsheet was developed for use by the stormwater tech team for discussion purposes to determine the approach for each sample. Obviously, the approach could vary sample by sample by reducing the sample size one of the analysis and consuming the remaining sample for another parameter group (e.g. reduce sample mass extracted for PAHs/phthalates to provide sample mass for metals analysis (3.5 g for metals will result in 2X DL). Also, note that while organics are extracted on a dry weight basis as noted above, metals will be extracted on a wet weight basis. A minimum of 7g wet weight is

necessary for this analysis to meet project MRLs. Sample aliquots in the table show wet/dry mass needed for metals analysis (based on a sample's total solids content); dry weights were used for ease of calculation to determine sample mass remaining for analysis. Also, a procedural recommendation is that all of the remaining analytical aliquots will be created at one time so we know the sample is well homogenized and any issues with discrepancies in the amount of total sample (although we expect such discrepancies will be small) can be resolved then before the samples are extracted.

The second spreadsheet titled "Stormwater Summary," details each sample's expected sediment detection limit factor; the level of detection will be elevated by the number presented in each cell based on limited sample volume. For example, a value of 1 means the target DL will be met and a value of 2 means the actual achieved DL will be two times higher than the target DL. We have layered on top of this spreadsheet a color coding reflects the percentage of time each analyte group was detected at that station for the Batch 1 stormwater data. While Batch 1 results do not provide an indication of detection frequency for the entire stormwater data set and some stations were not sampled in Batch 1, it is the currently available data set with which we can start to understand the frequency of detections in stormwater. The summary table is intended to help determine where we have or are likely to have data from either sediment traps and/or stormwater samples. For example, the table shows where we have a complete absence of information (no detection limit factor for sediments and no coloring for stormwater), a limited amount of data (large detection limit factor sediments and light coloring for stormwater), and where we have an analyte group that is likely covered by both sampling methods (small detection limit factor for sediments and dark coloring for stormwater).

The Stormwater Technical Team asked for the LWG to propose a method for sediment trap sample handling. In summary, per the above discussion, we are

proposing to recommend to EPA/DEQ members of the
Stormwater Technical Team
the following:

Follow the priority order of analyses as
previously agreed upon
and detailed for each station in the EPA
approved Stormwater FSP
Combine field replicate samples into one
samples available at some
locations to achieve a higher sediment volume
for analysis and to
obtain data no more analyte groups at these
locations
Use catch basin sediments collected at the
locations noted in the
detailed spreadsheet for field and laboratory
QC

PCBs appear to be the most important chemical from an
in-river risk
perspective. This approach will allow us to obtain
PCB data for the
majority of sampling locations (sometimes at elevated
DLs), which is likely
to be supported by a substantial body of detected
data in stormwater
samples. The approach will also allow us to obtain
PAH/Phthalate and
Organochlorine pesticide data for those sites where
these are the next
highest priority analyte. (Note the sequence of the
second/third priority
analytes varies across the sample locations.) Across
all sites, limited data
will be obtained on third priority and higher
analytes.

Carl Stivers
Anchor Environmental, L.L.C.
23 South Wenatchee Avenue, Suite 120
Wenatchee, WA 98801
Phone: 509-888-2070
Fax: 509-888-2211
cstivers@anchorenv.com

This electronic message transmission contains
information that is
intended for the use of the individual or entity
named above. If you
are not the intended recipient, please be aware
that any disclosure,
copying distribution or use of the contents of
this information is
prohibited. If you have received this electronic
transmission in error,

please notify us by telephone at (206) 287-9130, or
by electronic mail,

cstivers@anchorenv.com.

From: Amanda Shellenberger
Sent: Wednesday, July 25, 2007 3:45 PM
To: 'Amanda Spencer'; 'Dawn Sanders'; 'Jim McKenna';
'Scheffler, Linda';
'TARNOW Karen E'; Carl Stivers; 'Andy Koulermos';
'Laura Jones';
'Koch.Kristine@epamail.epa.gov'; 'LaFranchise,
Nicole'
Subject: Stormwater Sediment Trap Sample Handling and
Analysis Methods

Stormwater Tech Team -

Good News! The Stormwater Sediment Trap Sample
Handling and Analysis
Methods were APPROVED with no changes by the Exec.
Committee today.
I've attached the two files for your review. Let's
set up a conference call
to discuss. Please email me with your potential
availability. The best
times for Carl and me are August 6th, 8th, or 9th
anytime.

Amanda Shellenberger, P.E.
Anchor Environmental, L.L.C
1423 3rd Avenue, Suite 300
Seattle, WA 98101
Direct Line: (206)903-3371
Office Line: (206)287-9130
Fax: (206)287-9131

This electronic message transmission contains
information that may be
confidential and/or privileged work product prepared
in anticipation of
litigation. The information is intended for the use
of the individual or
entity named above. If you are not the intended
recipient, please be aware
that any disclosure, copying distribution or use of
the contents of this
information is prohibited. If you have received this
electronic transmission
in error, please notify us by telephone at (206)
287-9130, or by electronic
mail, ashellenberger@anchorenv.com.